

SUBJECT INDEX

- Acidification, of soil 391
- Acid drainage from tailings 687
- Acid mine drainage
 - Fe²⁺ oxidation rates 509
 - Fe oxide precipitate from 165
 - Passive wetland treatment of 509
- Acid sulphate soils 607
- Ag,
 - in Baltic Sea Sediments 287, 293, 313
- Al
 - dissolution from kaolinite in
- KOH solutions 619, 905
 - in acid mine drainage precipitate 165
 - in Baltic Sea sediments 293, 313, 329
 - in groundwater 921
 - in rainwater 941
 - mobilization in acidified podzols 391
- Alberta, Canada 463
- Apache Leap, Arizona, U.S.A. 155
- Ar
 - in groundwater 593
 - in sedimentary rocks 673
- ³⁸Ar/³⁶Ar in basalt glasses 441
- ⁴⁰Ar/³⁶Ar in basalt glasses 441
- Arizona, U.S.A. 185
- As
 - in aquifer sediments 521
 - in Baltic Sea sediments 369
 - in delta sediments 581
 - in Fe oxide 521
 - in groundwater 521
 - in lake sediment 59, 213
 - in soil 415
 - in sulphide phase of lake sediments 213
 - speciation in contaminated soil 415
- Au, mine tailings 687
- B, in groundwater 921
- Ba
 - in basalt 975
 - in granite 975
 - in groundwater 921
 - in thermal water 861
- Balazuc borehole, SE. Basin, France 673
- Baltic Sea 285, 287, 293, 305, 313, 329, 339, 349, 359, 369
 - heavy metal pollution of 287, 293, 313, 329, 349, 369
- Basque-Cantabrian Basin, N. Spain 421
- Biotite, sorption of I by 127
- Biogeochemical reactions
 - in estuary sediments 269
 - in lake sediments 269
 - in marine sediments 269
- Black shales, hydrocarbons in 673
- Bohemia, Czech Republic 975
- Book Review
 - Monitoring and Mitigating of Volcanic Hazards 918
 - Principles and Applications of Geochemistry 919
 - Reactive Transport in Porous Media 917
 - Regional Geochemistry of north-east England 799
 - Stable Isotope Geochemistry (4th edit.) 541
 - The Periglacial Environment (2nd edit.) 281
- Br
 - in estuary water 735
 - in groundwater 553, 735
- Brass, corrosion in marine environment 643
- Brittany, France 767
- C
 - cycling 1
 - in anoxic sediments 349
 - in groundwater 521
 - in sea water 359

¹³C

- in basalt glasses 441
- in diesel 851
- in estuary water 735
- in freshwater molluscs 49
- in groundwater 593, 735
- in hydrocarbons 815, 825
- in lake water 49
- in mineral water 975

¹⁴C

- as tracer in groundwater 995
- in freshwater molluscs 49
- in groundwater 3, 17, 185, 593, 995
- in lake water 49
- in lichen 49
- in peat 3
- in plants 3, 17, 23
- in soil 3, 17
- in wetland 17
- sorption of 43

Ca

- in acid mine drainage precipitate 165
- in Baltic Sea sediments 293, 313
- in estuary water 735
- in groundwater 553, 593, 735, 921
- in mineral water 975
- in rainwater 941
- in thermal water 861

CaCO₃, precipitation from oilfield brine 177

California, U.S.A. 521

Canada

- Alberta 463
- Lake Michigan 59
- Lake Ontario 59
- Lake Superior 59
- Nova Scotia 643
- Ontario 3, 17, 23, 31, 49
- Quebec 213, 687

Carson Desert, Nevada, U.S.A. 521

Caspian Sea 581

Cd

- in acid mine drainage precipitate 165
- in Baltic Sea biota 287
- in Baltic Sea sediments 287, 293, 313, 369
- in delta sediments 581
- in lake sediment 213
- in lake water 379
- in pore waters 213, 359
- in sea water 359
- in sulphide phase of lake sediments 213
- in tailings pore water 687
- in volcanic ash 841

Ce

- in basalt 975
- in granite 975
- in mineral water 975
- in river sediment 451
- in river water 451
- in thermal water 861
- leaching from nuclear glass 105

CH₄

- as tracer in groundwater 995
- in sedimentary rocks 673
- in thermal water 651

C₂H₆, in sedimentary rocks 673

C₃H₈, in sedimentary rocks 673

C₄H₁₀, in sedimentary rocks 673

Chernobyl nuclear accident 581, 803

Chalk River, Ontario, Canada 3, 17, 25, 31

Chelyabinsk, Russia 921

Chevreuil Lake, SW Quebec, Canada 213

China

- Tibet 543
- Yangtze River 451

Chlorinated aliphatic compounds
in environment 779
reactions of 779

- Chlorofluorocarbons
 as tracers in groundwater 995, 1017
 for dating young groundwater 1017
- Chlorophenols, partitioning in octanol/water 893
- Chrysocolla, formation from near-neutral solution 235
- Cl
 as tracer in groundwater 995, 1017
 in estuary water 735
 in groundwater 185, 521, 553, 735, 995, 1017
 in mineral water 975
 in rainwater 941
 in thermal water 861
 in thermal water, related to earthquake activity 89
 in volcanic ash 841
- ³⁷Cl
 in Dead Sea water 953
 in hypersaline spring 953
 in Jordan River 953
 in rock salt 953
- Clearwater Lake, NE Ontario, Canada 213
- Co
 in acid mine drainage precipitate 165
 in Baltic Sea sediments 293, 313
 in lake sediment 213
 in soil 607
 in pore water 213, 359
 in sea water 359
 in sulphide bearing sediments 607
 in sulphide phase of lake sediments 213
 in tailings pore water 687
 sorption 77
- CO, in thermal water 631
- CO₂
 determination of, in soil 543
 in sedimentary rocks 673
 in soil gas, volcanic area 543
 in thermal water 631
- Colloidal transport, of contaminants 31
- Cooke City, Montana, U.S.A. 165
- Cornwall, England, U.K. 619
- Cr
 contamination 961
 in Baltic Sea sediments 293, 313, 369
 in delta sediments 581
 in river water 197
 in soil 607, 961
 in sulphide bearing sediments 607
 in tailings pore water 687
- Cs, in Baltic Sea sediments 313
- ¹³⁴Cs
 adsorption by sapropels 155
 in delta sediments 581
- ¹³⁷Cs
 adsorption by sapropels 155
 in delta sediments 581
 in foodstuffs 803
 in groundwater 921
 in lake water 921
 in plants 803
 in soil 803
- Cu
 complexation by SiO₂ 235
 contamination from smelter fumes 59, 391
 in acid mine drainage precipitate 165
 in anoxic sediments 349
 in atmosphere 59
 in Baltic Sea biota 287
 in Baltic Sea sediments 287, 293, 313, 329, 349, 369
 in delta sediments 581
 in groundwater 921

- in lake sediment 59, 213
 - in lake water 379
 - in pore water 213, 359
 - in river water 197,
 - in sea water 359
 - in soil 607
 - in sulphide bearing sediments 607
 - in sulphide phase of lake sediments 213
 - in tailings pore water 687
 - in volcanic ash 841
 - minerals formed on corrosion of brass 643
- Czech Republic, Bohemia 975
- Danube Delta, Romania 581
- Dead Sea, Israel 553, 953
- Diagenesis
 - during steamflood oil recovery 491
 - of fossil avian eggshells 243
 - of lake sediments 213
 - of shales 95
- Diesel, biodegradation of, in groundwater 851
- Djibouti 825
- Drilling fluids, gases in 673
- Dy
 - in mineral water 975
 - in thermal water 861
- England
 - Cornwall 619, 905
 - Liverpool 735
 - Mersey Estuary 735
- Er
 - in mineral water 975
 - in thermal water 861
- Erratum 283, 541
- Estuary sediments, measuring biogeochemical reactions in 269
- Eu
 - in basalt 975
 - in granite 975
 - in mineral water 975
 - in river sediment 451
 - in river water 451
 - in thermal water 861
- Ethiopia 825
- F
 - in groundwater 921
 - in mineral water 975
 - in thermal water 861
 - in volcanic ash 841
- Fe
 - in acid mine drainage precipitate 165
 - in Baltic Sea biota 287
 - in Baltic Sea sediments 293, 313, 329
 - in groundwater 521, 553, 921
 - in lake sediment 213
 - in pore water 213, 329, 359
 - in sea water 359
 - in soil 607
 - in sulphide bearing sediments 607
 - in thermal water 861
- Fe²⁺, oxidation rate, determination in field 509
- Fe oxide, selective extraction of 165
- Finland, 391
 - Quark area 607
- Fluorapatite
 - as a radiochronometer 707
 - exfoliation by He 707
 - for radioactive waste disposal 707
- France
 - Balazuc borehole, SE. Basin 673
 - Brittany 767
 - Massif Central 941
 - Paris Basin 593
 - Thau lagoon 885
- Ga, in groundwater 921

- in basalt 975
 - in granite 975
 - in mineral water 975
 - in thermal water 861
- Geochemical exploration, for Pb/Zn mineralisation using lithogeochemistry 421
- Geochemical modelling
 - of adsorption 521
 - of groundwater-cement interaction 571
 - of groundwater composition 553
 - of lanthanide complexes in thermal water 861
 - of partitioning of chlorophenols 893
 - of pyrite oxidation in marine sediments 257
- Georgia, U.S.A. 995, 1017
- Geothermal reservoir 543
 - decrease in permeability of 477
- Germany
 - Lake Murtitz 379
 - Maar lakes 787
 - Neustadt-Glewe 477
 - North German Basin 593
- Gibraltar Strait, S. Spain 95
- Gotland Basin 349, 359
- Grants, New Mexico, U.S.A. 521
- Greece
 - Litheos River 197
 - Pinios River 197
 - Santorini 543
 - Trikala 197
- Groundwater
 - contamination with radioactive waste 921
 - dating 593, 1017
 - denitrification 767
 - diesel contamination 851
 - evolution of 593
 - fracture flow in tuff 185
 - interaction with cement 571
 - mineral 975
 - noble gases in 593
 - paleowaters in 553
 - radionuclides in 3, 17, 593
 - residence time 593
 - saline intrusion into 735
 - thermal, determination of dissolved gases in 631
 - tracing young fraction in 995, 1017
 - under radioactive waste 3
 - urban 735
- Gulf of Bothnia 305
- Gulf of Finland 369
- Gulf of Gdansk, Baltic Sea 293, 313, 319
- H₂, in thermal water 631
- ²H
 - as tracer in groundwater 995
 - in groundwater 593, 995
 - in mineral water 975
- ³H
 - as tracer in groundwater 995
 - for dating young groundwater 1017
 - in groundwater 17, 185, 593, 995, 1017
 - in plants 17
 - in soil 17
 - in wetland 17
- Halifax, Nova Scotia, Canada 643
- He
 - in groundwater 593
 - in sedimentary rocks 673
 - in thermal water 631
- ³He
 - as tracer in groundwater 995
 - in groundwater 995, 1017
- ³He/⁴He
 - in basalt glasses 441
 - in hydrocarbons 815, 825
- Heavy metal
 - deposition in an anoxic basin 349
 - in delta sediments 581
 - in sea water 359, 379
 - pollution in marine sediments

- 287, 293, 313, 329, 369
pollution in soils 391
- Hf
in basalt 975
in granite 975
- Hg
in Baltic Sea sediments 369
in delta sediments 581
in thermal water 861
- Ho
in thermal water 861
in mineral water 975
- H₂S
as tracer in groundwater 995
in groundwater 553, 995
in lake water 379
- Hydrocarbons
biodegradation of, in
groundwater 851
Hydrothermal, genesis 815
in East African Rift 825
in black shales 673
in river water 197
- I, sorption by pyrite, magnetite and
biotite 127
- ¹²⁵I, as a tracer of I sorption 127
- ICP-MS, for determining Pb isotopes
403
- Idaho, U.S.A. 861
- Isotopes
Ar 441
C 3, 17, 23, 43, 49, 185, 441,
593, 735, 815, 825, 851, 975, 995
Cl 953
Cs 155, 581, 803, 921
H 17, 185, 593, 975, 995, 1017
He 441, 815, 825, 995, 1017
Kr 441
Nd 975
Ne 441
O 49, 95, 553, 593, 735, 975,
995, 1017
Pb 59, 403, 787, 885, 975
S 185, 735
Sr 155, 463, 735, 803, 921, 976
Th 339
U 339
Xe 441
- Israel
Dead Sea 553, 953
Jordan River 953
Mount Sidom 953
Negev 553
Sinai 553
- Italy
Phlegraen Fields 543
Vulcano Island 543, 631
- Izo Peninsula, Japan 89
- Japan 403
Izo Peninsula 89
Jordan River, Israel 953
Joutel, Quebec, Canada 687
- K
in Baltic Sea sediments 293, 313
in estuary water 735
in groundwater 553, 735, 921
in mineral water 975
in rain water 941
in thermal water 861
- Kaolinite
as dosimeter for radionuclides
751
dissolution in KOH 619, 905
- Kenya, 825
- KFe(CrO₄)₂·2H₂O
natural occurrence 961
solubility 961
- Kola Peninsula, Russia 391
- Kr, in groundwater 593
- La
in basalt 975
in granite 975
in mineral water 975
in river sediment 451
in river water 451
in thermal water 861
leaching from nuclear waste

- glass 105
 Lake Karachei, Southern Urals, Russia 921
 Lake Michigan, N. America 59
 Lake Muritz, Germany 379
 Lake Ontario, N. America 59
 Lake sediments, measuring
 biogeochemical reactions in 269
 Lake Superior, N. America 59
 Li
 in Baltic Sea sediments 313
 in thermal water 861
 Litheos river, Central Greece 197
 Liverpool, England, U.K. 735
 Lu
 in basalt 975
 in granite 975
 in mineral water 975
 in river sediment 451
 in river water 451

 Maar lakes, Germany 787
 Magnetite, sorption of I by 127
 Massif Central, France 941
 Mariana Trough 441
 Marine sediments, measuring
 biogeochemical reactions in 269
 Mecklenburg Bay, SW Baltic 339
 Mersey estuary, England, U.K. 735
 Metal-chlorophenol complexes, in water 893
 Mexico
 Chihuahua 751
 Popocatépetl volcano 841
 Mg
 in acid mine drainage precipitate 165
 in Baltic Sea sediments 293, 313
 in estuary water 735
 in groundwater 553, 593, 735, 921
 in mineral water 975
 in rain water 941
 in thermal water 861
 Milk River aquifer, Alberta, Canada 463

 Mineralisation
 Pb/Zn Mississippi Valley type 421
 U sandstone type 521
 Mn
 in acid mine drainage precipitate 165
 in anoxic sediments 349
 in Baltic Sea sediments 293, 313, 329, 349
 in groundwater 521, 921
 in lake sediment 213
 in pore water 213, 329, 359
 in sea water 359
 in soil 607
 in sulphide bearing sediments 607
 in sulphide phase of lake sediments 213
 in tailings pore water 687
 in volcanic ash 841

 Mo
 in groundwater 921
 in pore water 359
 in sea water 359
 Monchegorsk, Kola Peninsula, Russia 391
 Montana, U.S.A. 165
 Mount Sidom, Israel 953

 N₂
 in sedimentary rocks 673
 in thermal water 631
 Na
 in Baltic Sea sediments 293, 313
 in estuary water 735
 in groundwater 553, 735, 921
 in rain water 941
 in thermal water 861
 Namibia 243
 Nd
 in basalt 975
 in granite 975
 in mineral water 975
 in river sediment 451

- in river water 451
 - in thermal water 861
 - leaching from nuclear waste glass 105
- $^{143}\text{Nd}/^{144}\text{Nd}$
 - in basalt 975
 - in granite 975
 - in mineral water 975
- Ne, in groundwater 593
- $^{20}\text{Ne}/^{22}\text{Ne}$, in basalt glasses 441
- $^{21}\text{Ne}/^{22}\text{Ne}$, in basalt glasses 441
- Negev, Israel 553
- Neustadt-Glewe, Germany 477
- Nevada, U.S.A. 521, 571
- New Mexico, U.S.A. 521
- NH_3 , in river water 187
- NH_4^+
 - in groundwater 921
 - in lake water 379
- Ni
 - contamination from smelter fumes 391
 - in Baltic Sea sediments 293, 313
 - in delta sediments 581
 - in lake sediments 213
 - in porewater 213, 359
 - in river water 197
 - in sea water 359
 - in soil 607
 - in sulphide bearing sediments 607
 - in sulphide phase of lake sediments 213
 - in tailings pore water 687
 - in thermal water 861
- Nikel, Kola Peninsula, Russia 391
- NO_2^-
 - in groundwater 921
 - in river water 197
- NO_3^-
 - in groundwater 593, 735, 767, 921
 - in river water 197
 - in lake water 379
 - in rain water 941
- in sea water 359
- Nopal 1 U-deposit, Chihuahua, Mexico 751
- Northern Ireland, United Kingdom 143
- North German Basin 593
- Norway 391
- Nova Scotia 643
- Np, leaching from nuclear glass 105
- Nuclear waste glass
 - leaching of 105, 715
 - reaction with backfill 715
- O_2
 - as tracer in groundwater 995
 - in thermal waters 631
- ^{18}O
 - as tracer in groundwater 995, 1017
 - in estuary water 735
 - in freshwater molluscs 49
 - in groundwater 553, 593, 735, 995, 1017
 - in kaolin minerals 95
 - in lake water 49
 - in mineral water 975
- Obituary 1045
- Oder river, Poland 329
- Oil, recovery by steamflood, reduced permeability from 491
- Ontario, Canada 3, 17, 23, 31, 49, 213
- P, in Baltic Sea sediments 287, 313, 319
- PAHs, in delta sediments 581
- Paris Basin, France 593
- Pb
 - Anthropogenically derived through time 787, 885
 - in Acid mine drainage precipitate 165
 - in Baltic Sea biota 287
 - in Baltic Sea sediments 287, 293, 313, 329, 369
 - in basalt 975
 - in bone 403
 - in delta sediments 581

- in granite 975
- in groundwater 921
- in lake sediment 213, 787
- in lake water 379
- in mussel shells 885
- in pore water 213, 329, 359
- in river water 197
- in rocks hosting mineralisation 421
- in sea water 359
- in sulphide phase of lake sediments 213
- in tailings pore water 687
- in teeth 403
- in thermal water 861
- $^{206}\text{Pb}/^{204}\text{Pb}$
 - in lake sediments 787
 - in mussel shells 885
- $^{207}\text{Pb}/^{204}\text{Pb}$
 - in lake sediments 787
 - in mussel shells 885
- $^{208}\text{Pb}/^{204}\text{Pb}$
 - in lake sediments 787
 - in mussel shells 885
- $^{207}\text{Pb}/^{206}\text{Pb}$
 - in basalt 975
 - in bones 403
 - in granite 975
 - in mineral water 975
 - in teeth 403
- $^{207}\text{Pb}/^{208}\text{Pb}$
 - in basalt 975
 - in granite 975
 - in mineral water 975
- $^{208}\text{Pb}/^{206}\text{Pb}$
 - in basalt 975
 - in bones 403
 - in granite 975
 - in mineral water 975
 - in teeth 403
- PCBs, in delta sediments 581
- Pennsylvania, U.S.A. 509
- Phlegraen Fields, Italy 543
- Pinios river, Greece 197
- PO_4
 - in lake water 379
 - in river water 197
 - in sea water 359
 - in thermal water 861
- Poland
 - Oder river 329
 - Vistula river 287, 313
- Popocatepetl volcano, Mexico 841
- Porewater
 - from lake sediments 213
 - from marine sediments 359
 - from river sediments 329
 - from tailings 687
- Pr
 - in basalt 975
 - in granite 975
- Preface 1
- Pu, leaching from nuclear waste glass 105
- Pyrite
 - modelling oxidation of 257
 - oxidation by NO_3^- 767
 - sorption of I by 127
- Quark area, Finland 607
- Quebec, Canada 213, 687
- Radioactive waste disposal 3, 17, 23, 43, 415, 707, 715
 - canister 643
 - colloidal transport from 31
 - natural analogue 751
 - repository 571
- Radionuclides, for dating groundwater 593
- Rare Earth Elements
 - in basalt 975
 - in ferromagnesian nodules 305
 - in granite 975
 - in mineral water 975
 - in thermal water 861
 - speciation in river sediments 451
- Rb
 - in Baltic Sea sediments 313
 - in mineral water 975

- Rhine Delta, The Netherlands 581
- Rn
 for predicting earthquakes 89
 in thermal water 89
- Romania, Danube Delta 581
- Russia
 Chelyabinsk 921
 Kola Peninsula 391
 Lake Karachei 921
 Volga Delta 581
- Rouyn-Noranda, Quebec, Canada 213
- S, in Baltic Sea sediments 329
- ³⁴S
 in estuary water 735
 in groundwater 185, 735
- Salton Sea, California, U.S.A. 521
- San Joaquin Valley, California, U.S.A. 521
- Santorini, Greece 543
- Sapropels, adsorption of radionuclides by 155
- Sb, in volcanic ash 841
- Sequential extraction, of soils 415
- Si, in acid mine drainage precipitate 165
- Sinai, Israel 553
- SiO₂
 complexation of Cu by 235
 dissolution from clays by KOH 619, 905
 in groundwater 921
 in thermal water 861
- Slupsk Furrow, southern Baltic Sea 305
- Sm
 in basalt 975
 in granite 975
 in mineral water 975
 in river sediment 451
 in river water 451
 in thermal water 861
- Smectite, dissolution in KOH 905
- Smelting, environmental contamination from 59, 213, 391
- SO₂
 from smelter emissions 391
 soil acidification by 391
- SO₄
 in estuary water 735
 in groundwater 185, 553, 735
 in lake sediment 213
 in mineral water 975
 in pore water 213, 329
 in rain water 941
 in thermal water 861
 in thermal water, related to earthquake activity 89
 in volcanic ash 841
- Spain
 Basque-Cantabrian Basin 421
 Gibraltar Strait 95
- Sr
 in Baltic Sea sediments 313
 in basalt 975
 in granite 975
 in groundwater 735, 921
 in mineral water 975
 in rain water 941
 in thermal water 861
- ⁸⁷Sr/⁸⁶Sr
 in basalt 975
 in bentonite 463
 in estuary water 735
 in feldspars 463
 in glacial till 463
 in granite 975
 in groundwater 735
 in mineral water 975
 in pore water 463
 in rain water 941
 in sedimentary rocks 463
- ⁹⁰Sr
 adsorption by sapropels 155
 in foodstuffs 803
 in groundwater 921
 in lake water 921
 in plants 803
 in soil 803
- St. Austell, England, U.K. 619, 905

- Sudbury, Ontario, Canada 213
 Sulphide oxidation, bacterially mediated
 687
- Tailings, *Thiobacilli* in 687
- Tb
 in basalt 975
 in granite 975
 in mineral water 975
 in river sediment 451
 in river water 451
 in thermal water 861
- Th
 in basalt 975
 in granite 975
 in thermal water 861
 leaching from nuclear waste
 glass 105
- ²³⁴Th, in sea water 339
- ²³⁴Th/²³⁸U disequilibria in sea water 339
- The Netherlands, Rhine Delta 581
- Ti
 in groundwater 921
 in soil 607
 in sulphide bearing sediments
 607
 in volcanic ash 841
- Tibet, China 543
- Thau lagoon, S. France 885
- Tl, in volcanic ash 841
- Topopah Spring, Nevada, U.S.A. 571
- Transition metals, in sulphide bearing
 sediments 607
- U
 identifying migration of 751
 in Baltic Sea biota 287
 in basalt 975
 in Fe oxide 521
 in granite 975
 in groundwater 521
 in sedimentary organic carbon
 521
 in soil 415
 in thermal water 861
 leaching from nuclear fuel waste
 glass 105
 speciation in contaminated soil
 415
- ²³⁸U, in sea water 339
- Uganda 825
- United Kingdom
 England 619, 735, 905
 Northern Ireland 143
- U.S.A.
 Arizona 185
 California 521
 Georgia 995, 1017
 Idaho 861
 Lake Michigan 59
 Lake Ontario 59
 Lake Superior 59
 Montana 165
 New Mexico 521
 Nevada 521, 571
 Pennsylvania 509
- V, contamination from smelter fumes
 391
- Valdosta, Georgia 995, 1017
- Vistula river, Poland 287, 313
- Volga delta, Russia 531
- Vulcano island, Italy 543, 631
- Water-rock interaction
 in aquifer 463, 553
 in geothermal reservoir 477
 in steamflood oil recovery 491
- Withlacoochee River, Georgia 995, 1017
- XANES, for study of I sorption on
 mineral surfaces 127
- Yangtze River, China 451
- ¹²⁹Xe, in basalt glasses 441
- ¹³⁶Xe/¹³²Xe, in basalt glasses 441
- Y
 in basalt 975
 in granite 975
 in mineral water 975

Yanbajan geothermal field, Tibet, China
543

Yb

in basalt 975
in granite 975
in mineral water 975
in river sediment 451
in river water 451
in thermal water 861

Yucca Mountain, Nevada, U.S.A. 571

Zapoljarnij, Kola Peninsula, Russia 403

Zn

in anoxic sediments 349
in Baltic Sea biota 287
in Baltic Sea sediments 287, 293,
313, 329, 349

in delta sediments 581
in groundwater 921
in lake sediments 213
in lake water 379
in pore water 213, 329, 359
in rocks hosting mineralisation
421
in sea water 359
in soil 607
in sulphide bearing sediments
607
in sulphide phase of lake
sediments 213
in tailings pore water 687
in volcanic ash 841

Zr

in basalt 975
in granite 975

AUTHOR INDEX

(Book Review—BR; Erratum—E; Obituary—O)

- | | |
|-----------------------------|--------------------------------|
| Advocat T. 105 | Davidson G.R. 185 |
| Aguayo A. 841 | Dawe R. 177 |
| Alai M. 571 | De Caritat P. 391 |
| Ali A.A. 293, 305 | Defoix D. 673 |
| Allard T. 751 | Dégranges P. 673 |
| Ambrosi J.P. 105 | Dever L. 593 |
| Appelo C.A.J. 257 | Dhoum R.T. 415 |
| Apps J.A. 921 | Disnar J.-R. 673 |
| Aquilina L. 673 | Dran J.-C. 707 |
| Armienta M.A. 841 | Drenkard S. 995, 1017 |
| Armstrong S.C. 463 | Dulski P. 975 |
| Åström M. 607 | Edmunds W.M. 593 |
| Bajt S. 127 | Eisenreich S.J. 59 |
| Barker A.P. 735 | Ekwurzel B. 1017 |
| Barnes S. 143 | Elder Brady J.A. 509 |
| Baron D. 961 | Emeis K.-C. 349 |
| Bassett R.L. 185 | Endler R. 349 |
| Baubron J.-C. 673 | Enright S. 23 |
| Bauer A. 619, 905 | Ermakov A. 803 |
| Beals T.M. 59 | Espinasa R. 841 |
| Ben Othman D. 885 | Evans G.J. 415 |
| Berger G. 619, 905 | Evenden W.G. 17, 43 |
| Blowes D.W. 687 | Eyvindson S. 3 |
| Bogatyrev I.V. 391 | Fein J.B. 893 |
| Bolalek J. 319 | Foucher J.-C. 767 |
| Bottrell S.H. 541 (BR), 735 | Foufa E. 197 |
| Braun S. 379 | Fritsche V. 767 |
| Brooks S.C. 77 | Fritz P. 651 (E) |
| Brown G.H. 281 (BR) | Fuganti A. 975 |
| Brüggmann L. 359 | Fuge R. 799 (BR) |
| Bruton C.J. 571 | Fuhrmann M. 127 |
| Buckley D.E. 643 | Garbe-Schönberg C.-D. 339 |
| Busenberg E. 995, 1017 | Gerstenberger H. 975 |
| Butron M.A. 841 | Glasby G.P. 285, 293, 305, 313 |
| Capasso G. 631 | Goffé B. 715 |
| Carignan R. 213 | Görlich E.A. 305 |
| Caron F. 1, 31 | Gould W.D. 687 |
| Carroll S.A. 571 | Graca B. 319 |
| Ceniceros N. 841 | Grattan J. 918 (BR) |
| Chaumont J. 707 | Guidi M. 543 |
| Chekushin V. 391 | Haas M.K. 31 |
| Chiodini G. 543 | Hallberg R. 359 |
| Christiansen C. 349 | Hansen B.T. 651 (E) |
| Cioni R. 543 | Hanton-Fong C.J. 687 |
| Clyburne J.A.C. 643 | Hardin E.L. 185 |
| Cooper W.J. 779 | Harrison W.J. 491 |
| Cornett J. 49 | Haushahn P. 379 |
| Cremers A. 155 | Heaney P.J. 235 |
| Cruz O. 841 | Hendry M.J. 463 |
| Daniels E.J. 491 | Herman J.S. 77 |
| Darling W.G. 815, 825 | Herrero J.-M. 421 |
| Dassenakis M.I. 197 | Huerta-Diaz M.A. 213 |
| Dauphin Y. 243 | Igarashi G. 89 |

- Ikuta K. 305
Inguaggiato S. 631
Isenbeck-Schröter M. 477
Jambor J.L. 687
Jankowska H. 293
Jeroschewski P. 379
Joens J.A. 779
Jones B.F. 553
Joyce K.J. 235
Kashulina G. 391
Kasimov N.S. 581
Kaufmann R.S. 953
Keith D.C. 491
Kelley K.D. 283 (E)
Kellner T. 477
Kersten M. 339
Khoteev A.D. 921
Killey R.W.D. 3, 17
King K.J. 23
Kirby C.S. 509
Kloppmann W. 593, 767
Klouniotou M. 197
Kolak J.J. 59
Korobova E. 803
Krasakopoulou E. 197
Kroonenberg S.B. 581
Kühn M. 477
Kunzendorf H. 305, 349
Kusak A. 293
Labonne M. 885
Larsson C. 359
Latka K. 305
Lehto O. 369
Leipe T. 329
Li X. 451
Lico M.S. 521
Linnik V. 803
Lodemann M. 651 (E)
Löffler A. 359
Long A. 953
Long D.T. 59
Lortie L. 687
Luck J.-M. 885
Lundegard P.D. 851
Lychagin M.Y. 581
Manning D.A.C. 917 (BR)
Marcus W.A. 165
Marin G. 581
Marini L. 543
Martelat A. 767
Martin-Del-Pozzo A.L. 841
Marty B. 673
McCarty D.K. 165
McConnell J.B. 995, 1017
Ménard O. 105
Michard A. 105
Michel R.L. 995, 1017
Milton G.M. 1, 23
Möller P. 975
Moore J.N. 165
Morita M. 403
Morteani G. 975
Moskaltchuk L. 155
Mukhamet-Galeev A.P. 921
Muller J.-P. 751
Négrel P. 941
Neumann T. 329, 349
Newton R.J. 735
Nishio Y. 441
Nishizawa S. 89
Nissenbaum A. 953
Nolte E. 651 (E)
Nowosielski B.E. 893
Ouchani S. 707
Pagan M. 779
Palmer C.D. 961
Pauwels H. 767
Pavlidou A. 197
Pickford M. 243
Plummer L.N. 995, 1017
Poinssot C. 715
Pribsch W. 339
Raco B. 543
Raisanen M.-L. 391
Raiswell R. 919 (BR)
Rao R.R. 3
Reimann C. 391
Renner R.M. 313
Reyes E. 95
Robé M.-C. 673
Romer R.L. 787
Rosenthal E. 553
Roy S. 941
Roychoudhury A.N. 269
Ruiz Cruz M.D. 95
Rusakov G.V. 581
Sano Y. 89, 441
Sasaki Y. 89
Schäfer H. 257
Schettler G. 787
Schlosser P. 995, 1017
Schoonen M.A.A. 127
Schulz H.D. 477
Scoullous M. 197
Senut B. 243
Sheppard S.C. 17, 43
Shimmield G. 329
Shoto E. 89
Siewers U. 1045 (O)
Solodov I.N. 921
Stiller M. 953
Stoffyn-Egli P. 643
Stout S.A. 851
Struck U. 349
Stüben D. 379
Sturchio N.C. 463

- Sutton J. 23
Suzuki T. 403
Swackhamer D.L. 59
Szefer P. 285, 287, 293, 305, 313
Szefer K. 293
Tagirov B.R. 921
Tasaka S. 89
Taylor C.D. 283 (E)
Tellam J.H. 735
Tessier A. 213
Thomsen S. 339
Thompson D.L. 185
Ticknor K.V. 43
Toulhoat P. 715
Valcke E. 155
Vallius H. 369
van Middlesworth P.E. 861
Van Capellen P. 269
Veinott G.I. 49
Velasco F. 421
Velde B. 619
Vernoux J.-F. 477
Verweij E. 257
Vilks P. 31
Viollier E. 269
Wang L. 451
Weinberger G. 553
Welch A.H. 521
Wendlandt R.F. 491
Weppernig R. 1017
Winkels H.J. 581
Wolf M. 651 (E)
Wolowicz M. 293
Wood S.A. 861
Worden R.H. 143
Yates D.M. 235
Yoneda M. 403
Yoshinaga J. 403
Yusta I. 421
Zhang C. 451
Zhang S. 451
Zhang Y. 177
Zotov A.V. 921